SitUp

Mobile bleacher modules



Minimalist design. Maximal function.

A working world that increasingly relies on teamwork and communication requires a multitude of collaborative places, communication hubs and informal meeting places for the exchange of ideas.

In this context, the SitUp bleachers modules form an innovative and suitable product cate-

In contrast to conventional, solid and static bleacher constructions, the SitUp family is flexible and mobile.

The stainless steel tube structure and the three levels make the modules versatile, light and stable at the same time.

The combination of linear and angled modules enables a multitude of different configurations.

The contemporary concept of SitUp received the Audience Award at the Active Office Award 2018 and is one of the winners of the Iconic Award - Innovative Interior 2019.














Models

The SitUp family consists of three versatile combination Modules that can be connected with Velcro straps.

Bleacher module SitUp ST #68504

- · The SitUp ST (ST: straight) is the basic module of the family.
- · The three levels can accommodate up to three people.
- · Two easy-running furniture castors mounted at the rear make the SitUp ST mobile.

W/H/D: 75/89/138 cm

3 seat levels, rear pair of legs on castors, incl. two Velcro straps; shipped pre-assembled.



Bleacher module SitUp CE 45 #68525

- · The SitUp CE 45° (CE: concave) is a 45° polygonally W/H/D: 144/89/143 cm module curved inwards.
- · The three levels can accommodate up to three
- · A centrally rear-mounted, easy-running castor makes the SitUp CE mobile.

3 seat levels, angled inwards at 45°, roll on rear leg, incl. two Velcro straps; shipped pre-assembled.



Bleacher module SitUp CX 45° #68767

- · The SitUp CX 45° (CX: convex) is a 45° polygonal module curved outwards.
- · The three levels can accommodate up to three people.
- · A centrally rear-mounted, easy-running castor makes the SitUp CX mobile.

W/H/D: 144/89/143 cm


3 seat levels, angled outwards at 45°, roll on rear leg, incl. two Velcro straps; shipped pre-assembled.





Side view


Front view


Plan view


















All specifications are external dimensions in cm.

Configuration examples


Configurations with ST and CE 45° bleacher modules






4 x CE 45°, 3 x ST







6 x ST, 2 x CE 45°,









5 x ST, 4 x CE 45° 6 x CE 45°, 3 x ST





8 x CE 45°, 6 x ST






 $4 \times CE 45^{\circ}$

Configurations with CX 45° bleacher modules


















8 x CX 45°, 8 x ST


Configurations with CE 45° and CX 45° bleacher modules




















4 x CX 45°, 4 x CE 45°

All specifications are external dimensions in cm.

Surface Selection

SteelLine

For the surface finish for the tube structure you can choose between the brushed SteelLine or the powder-coated BlackLine.

For the surface design of your furniture choose from 5 standard and 8 coloured decors or two real wood veneers. All visible surfaces on units, doors, drawers and shelves are made of black colour-through MDF panels. The surface finish is formed by visible edges, which are thermally smoothed and coated matt in an innovative process.





BlackLine

Steel, powder coated in black

Standard Decor, melamine-covered on both sides

Colour Decor, melamine-covered on both sides





Explanation and technical information

Available space

Assuming an average seat width of approx. 400 mm (see DIN 33402),
5 adults could sit on each module, 2 + 2 + 1. Due to the space required to place the feet, we recommend that a maximum of three people sit shifted on each module.

Load capacity

- The SitUp can withstand a static load of 5 persons à 80 kg (see DIN 33402).
- · Dynamic loads caused by tilting or swinging should be avoided for safety reasons.
- · At maximum load (5 x 80 kg + own weight) the feet can leave marks in hard floors (wood, linoleum, etc.).

Other

- The adjustment unit in the feet serves exclusively to compensate for uneven floors. This is not a height adjustment.
- · The fixtures of the seat panels are not intended for frequent removal and installation.
- The supplied Velcro straps serve as a flexible connection between the modules to prevent them from slipping.

Restrictions

- The dimensioning of the SitUps, as mobile bleacher modules, cannot be changed for safety reasons.
- · It is not possible to use the SitUps as storage furniture in this form.
- · The use of side panels is only possible with high planning effort.
- · The use of front panels is only possible with high planning effort.



System 180 GmbH Ernst-Augustin-Str. 3, 12489 Berlin